



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

a late crop, provided the season is not wet—the difference then is very trifling: for instance, I planted a single potato, cut, on the 11th of June, that weighed one pound, and dug it on the 4th of November, the produce of which was eight stone three pounds, or one hundred and fifteen pounds. I think that a potato planted in June, in a wet season, would produce as much as one planted in March in a dry season. I trust the potato farmers who read this will try my example, and never dig their potatoes, for a general crop, until they are quite dry and withered, which if they do I will insure them success. P. A. G.

"THE POTATO FORK."

"Observing that it is the intention to give a representation of new or improved implements, &c., in the 'Farmer's and Gardener's Magazine,' I take the liberty of forwarding for that purpose the accompanying sketch of the potato-fork:—



"The flattened portions of each prong is about five inches in length, by one in breadth, thinner at each edge than in the middle, and with spaces of an inch between each prong. They are made of scrap or Swedish iron, (occasionally I make them entirely of steel, in which case they are very light and handy, and wear much longer than when made of iron.) They are made with a prong to go into a handle of about four feet in length, and are found much more convenient for digging potatoes, and also for pointing borders in a garden, than any spade. J. M.

Farm, Garden, Forest Implement, and Machine
Warehouse, 27, Frederick-st., North, Dublin.

"MUSHROOM."

"By Mr. RYAN, Gardener to SAMUEL WHITE, Esq.

"The following method, which differs in many respects from any other which I have seen published. I find to answer admirably for the growth of that very desirable plant the mushroom:—Towards the middle of October, I empty the melon pits of the old dung, tan, or tree-leaves, reserving any that appears fresh, which I mix with fresh stable dung, and return to the pits, first placing a layer of entirely fresh dung at the bottom. I tread firmly as I proceed. When the pit is quite filled I put on the sashes, tilting them to permit the escape of the steam. In a fortnight or three weeks the dung will have subsided, and neat be sufficiently abated. I then place a layer of a few inches thick of horse droppings, from a stable where the horses are fed on hay and oats only, and which droppings must be well dried previously to being used: this layer is to be tramped, and the spawn in lumps about the size of a goose-egg, are to be placed one lump in each area of six inches, and covered with about three inches of fresh loam from a pasture, and beaten down well with the back of the spade. Dry hay is to be placed upon the surface of the bed, and air admitted in fine weather. The layer of droppings soon becomes a continuous mass of spawn; and the quantity of mushrooms produced throughout the winter and spring is truly astonishing. Water will be required occasionally, particularly as the days begin to get warm in spring. Towards the beginning of May, when the pits are required for other purposes, abundant spawn may be preserved for future operations. This is, I find infinitely superior to spawning the beds at the time of ridging not the melons, or at any subsequent period to their growth; the water required for the melons being too much for the mushrooms.

'NOTICE OF A SUBMARINE FOREST ON THE WEST COAST OF IRELAND.'

"This very singular phenomenon occurs on the eastern shore of the island of Aranmore, on the coast of the county of Donegal. It was pointed out to us in 1827 by the boatmen who conveyed us from Rutland to Aranmore. The stumps of the trees are of various lengths, from a few inches to six or eight feet above the bog stratum on

which they originally grew. This stratum is now below the surface of the sea; and at high water the whole remains of the forest are from six to twenty feet beneath the surface of the water. When the tide is out, a considerable number of the stumps are dry, and appear to protrude from sand, but this sand is merely a covering which has been superimposed on the bog. The stumps may be observed by a keen eye at an immense depth beneath the water as we approach the main land.

"Submersed forests have been discovered on the eastern coast of England, and in Scotland. Their existence has been variously accounted for, by supposing that the bed of the waters of the ocean maintain a higher level now than they did formerly; or, that owing to some convulsion, the land on which the trees grew subsided. The most satisfactory reason which has been given appears to be, that the bog and the trees which it supported moved, as we know bogs frequently do, from a higher to a lower level—this, from the appearance of the land, appears to have been the case, at least with the submarine forest on the coast of Donegal." E. M.

NOTICES OF THE POTATO.

The potato is a native of America, and was well known to the Indians before the conquest of Mexico or Peru; where it has been found in a wild state above ten thousand feet above the level of the sea. In Hindostan it is still little known. Bishop Heber informs us in his journal, that they soon become so small, that the natives cease to cultivate them.

Sir Walter Raleigh is said to have first introduced the potato into Ireland, about 1586; and two years after it was brought into Flanders, but from whence is not now known. Gerard, an old English botanist, gave it the name of *Solanum Tuberosum*, which name was afterwards adopted by Limacus. In 1683, Sutherland notices it in his *Hortus Medicus Edinburgensis*; from which it is probable that it was cultivated in the gardens in Scotland, though not in the open fields until 1728. About 1600, it was cultivated in England in the gardens of the nobility and gentry, as a rare exotic; and towards the end of 1634, it was first planted in Lancashire in the fields.

In Ireland it is probable they were long in coming into general cultivation by the farmer. In a manuscript in the writer's possession, written between the years 1670, and 1679, which treats largely of the prices of every kind of agricultural produce, potatoes are only once mentioned, and that in 1676, when they were sold at the high rate of 1s. 8d. per bushel. Very old people inform us that few potatoes were formerly used after harvest, except a small quantity preserved as a treat for their *Halloween* supper, which were eaten with butter. It, however, does appear that they were coming into general circulation before their time. In a Dublin Almanac, now before us, for 1706, in the Gardener's Calendar department for November, is marked—"take up your potatoes for winter," a proof that it was deemed a proper season for their preservation.

The following are a few of the many instances of the extraordinary produce of the potato. In 1787, the produce of one potato set in a garden in Lurgan, amounted to seven hundred and seventy-nine, and they weighed upwards of two hundred pounds. In 1810, six men, near Antrim, raised three hundred and sixty bushels of potatoes, out of 3228 square yards of ground; and in 1832, a man at Ballaghty, county of Derry, in the space of eight hours, with two gatherers, raised one hundred and twenty bushels. S. M. S.

ORNITHOLOGY.

SIR—A friend has directed me to copy his note to you specifying, that there is a bird to be found here, which he believes to be a stranger to the natives of Ireland, although well known to seamen of every nation, and supposed by them to hatch its young under their wings; but they may rest assured they are greatly in error, as he has found them on the rocky, desolate islands on the western coast of the county of Galway, near Slimehead, hatching their eggs; they are about the size of a swallow, their tails